

Adjustable Tables



Whether you need a Crank, Pneumatic or Electric Base, ESI can provide adjustable table bases to fit most work surface shapes, sizes and budgets.



MEETS THE STANDARDS OF
BIFMA & HFES*



Premium Electric



Premium Performance

Exceptional height range, smooth and quiet operation, concealed crossbar design. Meets the stringent BIFMA G1-2002 and HFES 100-2007 specifications*

Available Upgrades

- Digital Controller with three programmable memory settings.
- Set of casters for mobile conversion



Premium Electric Base Features

Available in 2-Leg and 3-Leg configurations
Concealed crossbar provides exceptional clearance
3-Leg bases available in 90° and 120° configurations
Height Range: 22" - 48"
Total Travel Range: 26"
Lifting Capacity: 2-Leg: 220 lbs. / 3-Leg: 300 lbs.
C-Leg configuration
Speed of Adjustment: 1.5"/second
Control pad features up/down switch

Standard finish is silver
Meets BIFMA and HFES 22" lowest height adjustment
Rated Voltage: 120V, 60hz
Max Power Consumption: 10 Amps
Rated Power: 200 W
Standby Power: < 0.3 W
Equipped with overload protection
UL/cUL listed

Value Electric



Easy Value

The Value Electric base boasts adjustable crossbars for easy installation and modification.

Available Upgrades

- Digital Controller with programmable memory settings.
- Mobile Foot with integrated rollers




Value Electric Base Features

Available in 2-Leg configurations only
Adjustable crossbar can be adjusted in the field
Concealed crossbar provides exceptional clearance
Height Range: 24.5" - 50.2"
Total Travel Range: 25.7"
Lifting Capacity: 220 lbs.
T-Leg configuration
Speed of adjustment: 1.42" per sec

Control pad features up/down switch
Available in silver finish only
Rated Voltage: 120V, 60hz
Standby Power: < 0.4 W
Equipped with overload protection
cTUVus certified





X-Base

X-tra Flexibility

The X-Base series offers both stationary and mobile options for virtually any environment.

- Pneumatic height adjustment
- Available in two base sizes and compatible with round or square work surfaces

X-Base Features

Single Post X-Base configuration
Height Range with glides: 26" - 43"
Height Range with casters: 28" - 45"

Lifting Capacity: 0 - 50 lbs.
Span of 24" Base: 23"
Span of 30" Base: 29"

24" mobile X-Base shown with 24" work surface & optional ORION tablet mount (see page 10)



Pneumatic



The Latest Trend in Green Office Furniture

- Trigger-style pull prevents accidental engagement. Safer than paddle-style controllers.
- Counterbalanced columns provide synchronized height adjustment.



Pneumatic Base Features

Available in 2-Leg configurations only
Concealed crossbar provides exceptional clearance
Height Range: 27" - 47"
Total Travel Range: 20"

C-Leg configuration
Standard finish is silver
Lifting Capacity: 70 lbs.

Crank



No Power Required

- Affordable Adjustability
- Available in 2-and 3-leg configurations
- Just 6 cranks per inch for rapid adjustments
- Handle retracts under work surface




Crank Base Features

Available in 2-Leg and 3-Leg configurations
Height Range: 27" - 45"
Total Travel Range: 18"
Lifting Capacity: 2-leg: 250 lbs. / 3-leg: 300 lbs.
C-Leg configuration
Crank handle is located in the front and can be retracted under work surface


Crank handle can be installed on left or right side
Speed of Adjustment: 6 cranks/inch
3-leg bases available in 90° and 120° configurations
Standard finish is silver

Tables Bases


Use the Information below to locate the work surface shape and dimension. Continue across the chart to determine the appropriate table base that should be used.




Premium Electric
Pneumatic
Crank



Value Electric



Premium Electric
Pneumatic
Crank



Value Electric

SMALL
EQUAL CORNER

For Rectangle & Peninsula Work Surfaces

Choose from these 2-leg bases for tables with Rectangular work surfaces.

WORK SURFACE DIMENSIONS			PREMIUM ELECTRIC TABLE BASE 2-Leg		VALUE ELECTRIC TABLE BASE 2-Leg		PNEUMATIC TABLE BASE 2-Leg		CRANK TABLE BASE 2-Leg	
W	D		PART #	LIST PRICE	PART #	LIST PRICE	PART #	LIST PRICE	PART #	LIST PRICE
36	24		2E-C36-24	\$2,268	2V-C36-24	\$1,589	2G-C36-24	\$1,723	2C-C36-24	\$1,264
42	24		2E-C36-24	\$2,268	2V-C36-24	\$1,589	2G-C36-24	\$1,723	2C-C36-24	\$1,264
48	24		2E-C48-24	\$2,276	2V-C36-24	\$1,589	2G-C48-24	\$1,737	2C-C48-24	\$1,277
60	24		2E-C60-24	\$2,285	2V-C54-24	\$1,663	2G-C60-24	\$1,747	2C-C60-24	\$1,287
72	24		2E-C72-24	\$2,305	2V-C54-24	\$1,663	2G-C72-24	\$1,777	2C-C72-24	\$1,317
36	30		2E-C36-30	\$2,270	2V-C36-30	\$1,609	2G-C36-30	\$1,737	2C-C36-30	\$1,266
42	30		2E-C36-30	\$2,270	2V-C36-30	\$1,609	2G-C36-30	\$1,737	2C-C36-30	\$1,266
48	30		2E-C48-30	\$2,278	2V-C36-30	\$1,609	2G-C48-30	\$1,751	2C-C48-30	\$1,279
60	30		2E-C60-30	\$2,287	2V-C54-30	\$1,683	2G-C60-30	\$1,761	2C-C60-30	\$1,289
72	30		2E-C72-30	\$2,307	2V-C54-30	\$1,683	2G-C72-30	\$1,791	2C-C72-30	\$1,319



For Small Equal Corner Work Surfaces

Choose from these 2-leg bases for tables with Small Equal Corner work surfaces

WORK SURFACE DIMENSIONS			PREMIUM ELECTRIC TABLE BASE 2-Leg		VALUE ELECTRIC TABLE BASE 2-Leg		PNEUMATIC TABLE BASE 2-Leg		CRANK TABLE BASE 2-Leg	
S1	S2	D	PART #	LIST PRICE	PART #	LIST PRICE	PART #	LIST PRICE	PART #	LIST PRICE
42	42	24	2E-C36-24	\$2,268	2V-C36-24	\$1,589	2G-C36-24	\$1,723	2C-C36-24	\$1,264
48	48	24	2E-C36-24	\$2,268	2V-C36-24	\$1,589	2G-C36-24	\$1,723	2C-C36-24	\$1,264

For Side Table Work Surfaces


Choose from these Single-leg X-Bases for side tables with Round or Square work surfaces



WORK SURFACE SHAPE	WORK SURFACE DIMENSIONS		X-BASE WITH LEVELING GLIDES		X-BASE WITH CASTERS	
	W	D	PART #	LIST PRICE	PART #	LIST PRICE
SQUARE	24	24	1X-BASE-24G	\$1,837	1X-BASE-24C	\$1,887
	30	30	1X-BASE-30G	\$1,869	1X-BASE-30C	\$1,919
	36	36	1X-BASE-30G	\$1,869	1X-BASE-30C	\$1,919
	42	42	1X-BASE-30G	\$1,869	1X-BASE-30C	\$1,919
ROUND	24	24	1X-BASE-24G	\$1,837	1X-BASE-24C	\$1,887
	30	30	1X-BASE-30G	\$1,869	1X-BASE-30C	\$1,919
	36	36	1X-BASE-30G	\$1,869	1X-BASE-30C	\$1,919
	42	42	1X-BASE-30G	\$1,869	1X-BASE-30C	\$1,919

For 90° Corner Work Surfaces


Choose from these bases for 3-leg tables with a 90° angle. This includes Large 90° Equal Corners and 90° Offset Corner Left and Offset Corner Right work surfaces.



WORK SURFACE DIMENSIONS			PREMIUM ELECTRIC TABLE BASE 90° - 3-Leg		CRANK TABLE BASE 90° - 3-Leg	
SIDE 1	SIDE 2	D	PART #	LIST PRICE	PART #	LIST PRICE
60	60	24	3E90-C6060-24	\$3,478	3C90-C6060-24	\$2,035
60	60	30	3E90-C6060-30	\$3,480	3C90-C6060-30	\$2,037
60	48	24	3E90-C4860-24	\$3,469	3C90-C4860-24	\$2,025
72	48	24	3E90-C4872-24	\$3,489	3C90-C4872-24	\$2,055
72	60	24	3E90-C6072-24	\$3,498	3C90-C6072-24	\$2,065
60	48	30	3E90-C4860-30	\$3,471	3C90-C4860-30	\$2,027
72	48	30	3E90-C4872-30	\$3,491	3C90-C4872-30	\$2,057
72	60	30	3E90-C6072-30	\$3,500	3C90-C6072-30	\$2,067
48	60	24	3E90-C4860-24	\$3,469	3C90-C4860-24	\$2,025
48	72	24	3E90-C4872-24	\$3,489	3C90-C4872-24	\$2,055
60	72	24	3E90-C6072-24	\$3,498	3C90-C6072-24	\$2,065
48	60	30	3E90-C4860-30	\$3,471	3C90-C4860-30	\$2,027
48	72	30	3E90-C4872-30	\$3,491	3C90-C4872-30	\$2,057
60	72	30	3E90-C6072-30	\$3,500	3C90-C6072-30	\$2,067

For 120° Corner Work Surfaces

Choose from these bases for 3-leg tables with a 120° angle. This includes 120° Equal Corners and 120° Offset Corner Left and Offset Corner Right work surfaces.



WORK SURFACE DIMENSIONS			PREMIUM ELECTRIC TABLE BASE 120° - 3-Leg		CRANK TABLE BASE 120° - 3-Leg	
SIDE 1	SIDE 2	D	PART #	LIST PRICE	PART #	LIST PRICE
60	60	24	3E120-C6060-24	\$3,478	3C120-C6060-24	\$2,035
60	60	30	3E120-C6060-30	\$3,480	3C120-C6060-30	\$2,037
60	48	24	3E120-C4860-24	\$3,469	3C120-C4860-24	\$2,025
72	48	24	3E120-C4872-24	\$3,489	3C120-C4872-24	\$2,055
72	60	24	3E120-C6072-24	\$3,498	3C120-C6072-24	\$2,065
60	48	30	3E120-C4860-30	\$3,471	3C120-C4860-30	\$2,027
72	48	30	3E120-C4872-30	\$3,491	3C120-C4872-30	\$2,057
72	60	30	3E120-C6072-30	\$3,500	3C120-C6072-30	\$2,067
48	60	24	3E120-C4860-24	\$3,469	3C120-C4860-24	\$2,025
48	72	24	3E120-C4872-24	\$3,489	3C120-C4872-24	\$2,055
60	72	24	3E120-C6072-24	\$3,498	3C120-C6072-24	\$2,065
48	60	30	3E120-C4860-30	\$3,471	3C120-C4860-30	\$2,027
48	72	30	3E120-C4872-30	\$3,491	3C120-C4872-30	\$2,057
60	72	30	3E120-C6072-30	\$3,500	3C120-C6072-30	\$2,067


Adjustable Table Accessories

Adjustable Table Keyboard Solutions

The location of the crossbar under the work surface is important when choosing an arm and keyboard platform. The table to the right shows the proper keyboard solution according to the type of base and crossbar configuration.



C-leg



T-leg

Table Base Type	Less than 30" Depth	More than 30" Depth
Premium Electric	AA903	Solution C-Leg
Value Electric	Solution T-Leg	Solution T-Leg
Pneumatic	AA903	Solution C-Leg
Crank	AA903	Solution C-Leg


Under-mount Drawer Slide AA903

The 15" slides allow the AA903 to fully retract under work surfaces that have limited depth available.

Features

- 25" width accommodates both keyboard and mouse
- Includes metal brackets
- Retractable on 15" ball bearing slides

Item	List Price
AA903	\$151



Adjustable Table Combo Solutions

AA330

Articulating Arm

17.5" glide track

7" Lift and Lock height adjustment
(2.5" above to 4.5" below track)

PL003-27N

Notched Platform

27" platform with notched cutout

Accommodates both keyboard and mouse on the same level

Solution T-Leg

Includes a set of spacers to bypass the crossbar

Track will be positioned 1.5" below underside of work surface

Solution C-Leg

List Price

\$387

\$404



Value Electric Accessories

Item	Description	List Price
DGTLKPD-VE	Digital Programmable Switch 3 Memory Settings	\$99
FEETWH24-VE	Set of two 24" Feet with Integrated Wheels	\$236
FEETWH30-VE	Set of two 30" Feet with Integrated Wheels	\$250



FEETWH24-VE



DGTLKPD-VE

Premium Electric Accessories

Item	Premium Electric	Pneumatic	Crank	Description	List Price
DGTLKPD-PE	•			Digital Programmable Switch 3 Memory Settings	\$131
Caster-OV2	•	•	•	Set or Four Casters for 2-Leg Table Base Increases Height Range by 2"	\$59
Caster-OV3	•	•	•	Set of Five Casters for 3-Leg Table Bases Increases Height Range by 2"	\$95



DGTLKPD-PE



Caster-OV2 / Caster-OV3

Ordering Work Surfaces


Laminate Colors

Standard laminates ship with matching 3MM edgebanding. Please indicate laminate choice by adding the 2-letter code at the end of the Work surface Part Number.

For example to order a work surface with Designer White:

2R3624DW

Non-standard laminate colors are available for an up charge. May not be available with matching 3MM edgeband. Call for pricing.



Standard Work Surfaces

ESI offers rectangular work surfaces for 2-leg bases, along with square and round surfaces for x-bases.

RECTANGLE			
PART #	W	D	LIST PRICE
2R3624 __	36	24	\$346
2R4224 __	42	24	\$359
2R4824 __	48	24	\$376
2R6024 __	60	24	\$443
2R7224 __	72	24	\$466
2R3630 __	36	30	\$364
2R4230 __	42	30	\$399
2R4830 __	48	30	\$426
2R6030 __	60	30	\$480
2R7230 __	72	30	\$547

X-BASE			
Shape	PART #	W	D
SQUARE	1X-SQUARE24 __	24	24
		30	30
	1X-SQUARE30 __	36	36
		42	42
ROUND	1X-ROUND24 __	24	24
		30	30
	1X-ROUND30 __	36	36
		42	42




Lead Time

Typical lead time is 10-14 business days for production of work surfaces.

Freight

Orders of adjustable bases and/or work surfaces totaling under \$5,000 LIST will incur a 5% shipping fee (of the total list price). To meet the minimum total, orders must be shipped at the same time to one location, dock-to-dock.



Note: Due to printing limitations, colors are not guaranteed to be accurately reproduced