# XPO2 TM Portable Oxygen Concentrator







# Invacare $^{\circ}$ XPO $_2$ $^{\mathsf{TM}}$ Portable Oxygen Concentrator

With the Invacare® XPO $_2$ ™ Portable Concentrator, providers and patients have a choice of ambulatory oxygen systems from Invacare Corporation, the world leader in oxygen. Named for its extreme portability, the XPO $_2$  concentrator is designed to be lightweight, clinically robust and easy to operate. The supplemental battery and AC/DC power options make it easy for patients to go just about anywhere without the fear of running out of oxygen.



#### **Features**

- Pulse dose settings 1-5 meet the needs of a broad range of patients
- Battery, AC or DC operation for patient convenience
- No separate battery recharger; charge internal and external batteries with either the AC or DC adapter
- Supplemental battery pack allows for extended battery power

#### **Provider Benefits**

- Clinically robust design to keep patients oxygenated at all levels of activity
- A great alternative or adjunct to the Invacare® HomeFill® oxygen system to meet patient's ambulatory needs
- Supports a non-delivery business model for lower operating costs

#### **Patient Benefits**

- Small, lightweight and inconspicuous
- Designed for ease of use
- No fear about running out of oxygen
- Encourages mobility, travel and independence
- Approved for use onboard aircraft by FAA.
   Visit www.invacare.com
   for a list of airlines that allow the use of the XPO<sub>2</sub> portable concentrator
- Sensi-Pulse<sup>™</sup> Technology




# **Sensi-Pulse™ Technology**

The  $XPO_2^{\mathsf{TM}}$  concentrator features

**Sensi-Pulse**™ Technology that customizes the size of each bolus of oxygen to meet patient demand. Whether sleeping, relaxing or exercising, Sensi-Pulse technology adapts to the patient's oxygen needs. Sensitive conserver, sensible design…Sensi-Pulse.

Sensi-Pulse technology provides constant minute-volume. This means that regardless of

a patient's breath rate at any given setting, the same amount of oxygen is provided per minute. As the breath rate decreases, the bolus size increases.




The patented, integrated electronic conserver provides a substantial bolus of oxygen at each setting and breath rate.

The Invacare® XPO2™ Portable Concentrator includes the components below.

Other accessories available separately.

(Accessory bag not shown.)





Oxygen flow	Pulse Dose Delivery, Settings 1–5	
Oxygen concentration	87% – 95.6% at all settings	
Weight	6 lb. concentrator, 1.3 lb. supplemental	
	battery	
Dimensions	10" H x 7" W x 4" D	
Battery duration	2.5 hours at setting 2, internal battery	
	2.5 hours at setting 2, supplemental battery	
Battery recharge time	3 hours*	
DC power input	18 VDC, 3.3 Amps	
AC power adapter input	100-240 VAC 50/60 Hz, 1.0 amps at 120 VAC	
DC power adapter input	11-16 volts, 12.6 volts nominal	
Operating altitude	Up to 10,000 ft (3046 m) above sea level	
	(and approved by FAA for use in pressurized airplanes)	
Maximum oxygen capacity	900 ml per minute	
Limited warranty	Concentrator - 3 years (Compressor - 2 years)	
	Battery and accessories - 1 year	

<sup>\*</sup> recharge time increases if unit is running while charging

# **Model Selection Guide**

Model number	Description	HCPCS Code
XP0100B	Concentrator, carrying case, supplemental battery,	E1390 and/or E1392
	AC adapter, DC adapter and accessory bag	
XP0100	Concentrator, carrying case, AC adapter, DC adapter	
	and accessory bag	E1390 and/or E1392
XP0110	Supplemental battery pack	
XP0120	Wheeled cart	
XP0130	AC power adapter	
XP0140	DC power adapter	
XP0150	Carrying case	
XP0160	Accessory bag	

# **Invacare Corporation**

www.invacare.com

## **USA**

One Invacare Way Elyria, Ohio 44035-4190 (800) 333-6900

## Canada

570 Matheson Blvd. E., Unit 8 Mississauga, Ontario L4Z 4G4 Canada (800) 668-5324

© 2010
Invacare Corporation.
All rights reserved.
Trademarks are identified by the symbols ™ and ®.
All trademarks are owned by or licensed to Invacare Corporation unless otherwise noted.
Specifications are subject to change without notification.

Form No. 07-067 Rev. 03/10

